

Retracted: Diagnostic Discrepancies Between Intraoperative Frozen Section and Permanent Histopathological Diagnosis of Brain Tumors

Maher KURDI¹ , Saleh BAEESA² , Yazid MAGHRABI³ , Anas BARDEESI³ , Rothaina SAEEDI⁴ ,
Taghreed AL-SINANI⁵ , Alaa SAMKARI⁶ , Ahmed LARY⁷ , Sahar HAKAMY⁸ 

¹Department of Pathology, King Abdulaziz University, Faculty of Medicine in Rabigh, RABIGH, KINGDOM OF SAUDI ARABIA,

²Division of Neurosurgery, King Abdulaziz University, Faculty of Medicine, JEDDAH, KINGDOM OF SAUDI ARABIA,

³Department of Neuroscience, King Faisal Specialist Hospital and Research Center, JEDDAH, KINGDOM OF SAUDI ARABIA

⁴Department of Surgery, Division of Neurosurgery, King Abdulaziz University Hospital, JEDDAH, KINGDOM OF SAUDI ARABIA,

⁵Department of Surgery, Division of Neurosurgery, King Fahad General Hospital, JEDDAH, KINGDOM OF SAUDI ARABIA

⁶Department of Pathology and Laboratory Medicine, King Saud Bin Abdulaziz University for Health Science, JEDDAH, KINGDOM OF SAUDI ARABIA,

⁷Department of Surgery, Division of Neurosurgery, King Abdulaziz Medical City, JEDDAH, KINGDOM OF SAUDI ARABIA,

⁸Center of Excellence in Genomic Medicine Research, King Abdulaziz University, JEDDAH, KINGDOM OF SAUDI ARABIA

Notice: Prof. Dr. Volkan Adsay, Editor-in-Chief of the Turkish Journal of Pathology, is retracting the article titled “Diagnostic Discrepancies between Intraoperative Cytological Frozen Section and Permanent Histopathological Diagnosis of Brain Tumors”.

Retracted Article: Maher KURDI, Saleh BAEESA, Yazid MAGHRABI, Anas BARDEESI, Rothaina SAEEDI, Taghreed AL-SINANI, Alaa SAMKARI, Ahmed LARY, Sahar HAKAMY. *Turkish Journal of Pathology* 2022, Vol 38, No 1, pp. 034-039. DOI: 10.5146/tjpath.2021.01551.

Reason for Retraction: This retraction is issued regarding redundant (duplicate) publication. Following an editorial investigation, it was determined that the findings and substantial content of this article were previously published in the *Journal of Cytology & Histology* (DOI: 10.37421/2157-7099.2021.12.585) without proper attribution, disclosure, or justification provided to the editors.

Purpose: The purpose of this retraction is to correct the scientific record and ensure the integrity of the literature; it is not intended to punish the authors. The Editorial Board of the *Turkish Journal of Pathology* apologizes to the scientific community for any confusion caused by this redundant publication.